



# Spray & Wipe

**GLASON SPECIALISED  
SERVICES PTY LTD**  
ACN 081 788 963

Unit 17/4 Merine Road  
West Gosford  
NSW 2250  
PHONE: (02) 4323 7792

## MATERIAL SAFETY DATA SHEET

Not classified as hazardous according to the criteria of NOHSC Australia.

### I IDENTIFICATION

Product Name: Spray & Wipe

Other Names: None.

Product Code: None.

UN No: None allocated

Hazchem Code: None allocated

Dangerous Goods Class: None allocated

Sub Risk Class: None allocated

Packaging Group: None allocated

Poison Schedule: Not scheduled.

Chemical Family: Water solution of ingredients (see below).

Uses: Hard surface cleaner.

### Physical Appearance & Properties

Appearance & Odour: light green liquid. Mild apple odour.

Melting/softening point: Approximately 0°C.

Boiling point and vapour pressure: Approximately 100°C at 100kPa.

Volatile materials: Water component.

Flashpoint: Does not burn.

Flammability limits: Not applicable. This product does not burn.

Specific gravity: Not available.

Solubility in water: Completely soluble.

Corrosiveness: Not corrosive.

Vapour Pressure: 18mm Hg at 20°C (water vapour pressure).

### Ingredients

Chemical Entity	CAS No	Proportion, %	Worksafe Exposure Limits	
			TWA, mg/m <sup>3</sup>	STEL, mg/m <sup>3</sup>
Ethylene glycol monobutyl ether	111-76-2	6-9	121	not set
Other non hazardous ingredients	secret	2-5	not set	not set
Water	7732-18-5	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

### II HEALTH HAZARD DATA

#### Health Effects:

No specific data is available for the product for chronic exposure symptoms. The ingredients are not listed as carcinogenic in Worksafe's document "Exposure Standards for Atmospheric Contaminants in the Occupational Environment" (May 1995), nor in NOHSC's "List of Designated Hazardous Substances" (April 1999).

#### Acute Effects:

Swallowed: Single dose oral toxicity is considered to be low. No hazards are anticipated from swallowing small amounts incidental to normal handling operations.

Eye: This product may be mildly irritating to eyes. However, it is unlikely to cause any more than mild transient discomfort. It is also unlikely to cause any lasting effects.

Product: Spray & Wipe msds

Issued by: Glason Specialised Services Pty Ltd  
Phone: (02)4323 7792

Issued: October 2008  
Page 1 of 3

# MATERIAL SAFETY DATA SHEET

Skin: This product may be mildly irritating to skin. However, it is unlikely to cause any more than mild transient discomfort. It is also unlikely to cause any lasting effects.

Inhalation: No inhalation hazards incidental to normal handling operations are anticipated from this product when used at room temperatures.

## First Aid:

If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone 13 1126 from anywhere in Australia. If possible have this MSDS or product label with you.

Swallowed: If swallowed, do NOT induce vomiting. Wash mouth with water and give a glass of water to drink.

Eyes: If product gets in eyes, wash material from them with running water. If they begin watering or reddening, take special care in washing thoroughly.

Skin: If product gets on skin, thoroughly wash contacted areas. No further measures should normally be required unless irritation is noticed. If irritation persists, seek medical attention.

Inhalation: No first aid measures normally required. However, if vapours or mists have been inhaled, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Advice to Doctor: Treat symptomatically. Note the nature of this product.

---

## III PRECAUTIONS FOR USE

### Exposure Standards:

A time weighted average (TWA) has been established for ethylene glycol monobutyl ether, present in small quantities in this product. This value is 121mg/m<sup>3</sup>. The corresponding STEL level is "not set". The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. See ingredients section on page 1 of this data sheet.

### Engineering Controls:

In industrial situations, concentration values below the TWA value should be maintained. Values may be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify the process or environment to reduce the problem.

### Personal Protection:

The following instructions are meant for people coming into frequent and lengthy contact with this product in industrial situations. For occasional use, take precautions suitable for the conditions under which the product is being used.

Respiratory Protection: It is usually safe to not use a dust mask or respirator protection on account of this product. However, if the product is being used in dusty or confined conditions, use of a mask or respirator may be preferred. For help in selecting suitable equipment, consult AS/NZS 1715.

Protective Gloves: Impermeable protective gloves are recommended when you are using this product, to prevent irritation. For help in selecting suitable equipment, consult AS 2161.

Eye Protection: Protective eyewear is not normally necessary when using this product. However, it is always prudent to use protective eyewear. Consult AS1336 and AS/NZS 1337 for advice on Industrial Eye Protection.

Clothing: This product is essentially safe to use without special protective clothing. However, its use is recommended as a good industrial practice. Consult AS2919 for advice on Industrial Clothing.

Safety Boots: Wearing safety boots in industrial situations is advisory. Consult AS/NZS2210 for advice on Occupational Protective Footwear.

Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

---

## IV SAFE HANDLING INFORMATION

### Storage & Transport

No special storage and transport requirements. This product has no UN classification. Not a Scheduled Poison. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames, and make sure that the product does not come into contact with substances listed under "Materials to avoid" below.

Product: Spray & Wipe msds

Issued by: Glason Specialised Services Pty Ltd  
Phone: (02)4323 7792

Issued: October 2008  
Page 2 of 3

# MATERIAL SAFETY DATA SHEET

## Spills & Disposals

Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Dispose of only in accord with all regulations.

## Fire & Explosion Hazard

There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

Flashpoint: Does not burn.

Flammability limits: Not applicable. This product does not burn.

Extinguishing Media: This product does not burn. Use extinguishing media suited to the materials that are burning.

Special Fire Fighting procedures: When fighting fires involving significant quantities of this product, wear safety boots, non-flammable overalls, gloves, hat and preferably, goggles.

Unusual Fire & Explosion Hazards: This product will produce only minor quantities of decomposition products at temperatures normally achieved in a fire.

Stability: This product is unlikely to spontaneously decompose.

Polymerisation: This product is unlikely to spontaneously polymerise.

Decomposition Products: Only minor quantities of decomposition products are expected at temperatures normally achieved in a fire. Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

Materials to avoid: No particular incompatibilities.

---

## V OTHER INFORMATION

This MSDS is prepared in accord with the Worksafe Australia document "National Code of Practice for the Preparation of Material Safety Data Sheets", 1994.

### Contact Points:

**Police and Fire Brigade:**

**Dial 000**

**If ineffective:**

**Dial 1100 (Exchange)**

**For emergency response:**

**Dial (02)4323 7792**

**National Poisons Information Centre: Dial 13 1126 (from anywhere in Australia)**

Please read all labels carefully before using product.

This MSDS copyright © Kilford & Kilford Pty Ltd, May, 2009.

<http://www.kilford.com.au/> Phone (02)9516 2079

Product: Spray & Wipe msds

Issued by: Glason Specialised Services Pty Ltd  
Phone: (02)4323 7792

Issued: October 2008  
Page 3 of 3